GPS-地上受信機網により観測された中規模伝搬性電離圏擾乱の成長特性の研究

#池田孝文[1]; 齊藤昭則[1]; 津川卓也[2][1] 京都大・理・地球物理; [2] 情報通信研究機構

Study of the character of growth of nighttime medium-scale traveling ionospheric disturbances observed by GNSS

Takafumi Ikeda[1]; Akinori Saito[1]; Takuya Tsugawa[2] [1] Dept. of Geophysics, Kyoto Univ.; [2] NICT

Medium scale traveling ionospheric disturbance is one of phenomenon in ionosphere and has been long studied. Nighttime MSTID will be caused by Perkins instability, but linear growth time(e folding time) of Perkins instability is very slow as growth time from random thermal noise.

For this problem, we could solve by the geomagnetic connection between E-region and F-region, and inserting the sporadic E layer's polarized electric field as the energy source of growth. However, we have few examples of observational verification whether E-region is connected to F-region when a disturbance occurred. And Perkins instability's growth rate is independent from wavelength, but we observe more MSTID events which wavelength is 200km - 400km. Sporadic E layer has less than 100km periodic structure, which contradicts observation.

Therefore we think it is difficult to claim E-region and F-region connection as growth mechanism. To verify this idea, we studied the character of growth of nighttime MSTID.

Using this method, we statistically estimated growth rates of nighttime MSTID in japan in summer 2014 observed by GNSS. We applied three-dimensional spectral method for total electron content grid data ,and estimated propagation velocity. Using this velocity, we tracked movement of one wavefront of MSTID, and estimated the fastest growth time of each event by using wavenumber spectra when tracking. As a result, growth time is slower than 16 minutes. Propagation direction when growth time is fastest is southwestward(205 deg - 245 deg). Growth time is even faster when 240 degrees. This time is too slow as growth time of MSTID, and is within the range of one perkins instability expects.

We will show the detail about the relation between this growth time and both mechanisms, and also present the wavelength dependence of growth.